

落地式喷雾风扇

- ①: 离心式雾化设计，无需喷嘴和水过滤装置，使用维修方便快捷。
- ②: 雾化量大小可以调节，低噪音设计。
- ③: 喷雾系统和送风分别有独立的电机带动运行，要风有风，要雾有雾，维护简单。
- ④: 表面采用粉末喷涂，防锈性能好，经久耐用不破损不生锈。
- ⑤: 电机采用低温升设计，纯铜线高质量电机，性能稳定，运行时间长，过载能力强。
- ⑥: 水泵配有保护装置，水箱无水时，不会损坏水泵。
- ⑦: 防水电气设计，使用更加安全。
- ⑧: 采用AUTOCAD优化设计，造型美观，产品坚固耐用。

Stand Centrifuge Type Series -- Water Mist Fan

Feature:

- ①:Centrifugal atomization design,without nozzle and water filtration devices,easy maintenance
- ②:Spray volume size can be adjusted , low-noise design.
- ③:mist system and air supply were a separate ,wind to wind and fog to fog.
- ④:The surface by powder coating,rust-proof performance,durability is not broken do not rust
- ⑤:Motor design with low temperature rise,high-quality copper wire motor,stable performance
- ⑥:Water pump equipped with a protection device ,no water no damage pump.
- ⑦:Water proof electrical design use more secure.
- ⑧:Attractive appearance durable products.

型号: ZW10W-26ST

Item no :ZW10W-26ST

名称: 26' 离心移动式喷雾风扇

Name :26' centrifugal Stand Type Mist Fan

摇头角度: 90度

Oscillation:90

电压: 220V

Voltage:220V

频率: 50HZ

Frequency:50HZ

功率: 230W

Power:230W

风量: 150m³/min

Air-flow:150m³/min

档位设计: 三档调速

Speed:3

有效距离: 6-8m

Spray effective distance:6-8m

使用面积; 25-30m²

Effective Area:25-30m²



品牌: ZOUWAY

广州BRT快速公交专用喷雾风扇

制造商;

德清中为电器有限公司

网址: [Http://www.zouway.com](http://www.zouway.com)



餐厅使用



车间使用



养殖厂使用

手推式喷雾风扇

- ①：离心式雾化设计，无需喷嘴和水过滤装置，使用维修方便快捷。
- ②：雾化量大小可以调节，低噪音设计。
- ③：喷雾系统和送风分别有独立的电机带动运行，要风有风，要雾有雾，维护简单。
- ④：表面采用粉末喷涂，防锈性能好，经久耐用不破损不生锈。
- ⑤：电机采用低温升设计，纯铜线高质量电机，性能稳定，运行时间长，过载能力强。
- ⑥：水泵配有保护装置，水箱无水时，不会损坏水泵。
- ⑦：防水电气设计，使用更加安全。
- ⑧：采用AUTOCAD优化设计，造型美观，产品坚固耐用。

Hand Centrifuge Type Series -- Water Mist Fan

Feature:

- ①:Centrifugal atomization design,without nozzle and water filtration devices,easy maintenance
- ②:Spray volume size can be adjusted , low-noise design.
- ③:mist system and air supply were a separate ,wind to wind and fog to fog.
- ④:The surface by powder coating,rust-proof performance,durability is not broken do not rust
- ⑤:Motor design with low temperature rise,high-quality copper wire motor,stable performance
- ⑥:Water pump equipped with a protection device ,no water no damage pump.
- ⑦:Water proof electrical design use more secure.
- ⑧:Attractive appearance durable products.

型号: ZW10W-20RE

Item no :ZW10W-20RE

名称: 20' 离心手推式喷雾风扇

Name :20' Centrifugal Moved Type Mist Fan

摇头角度: 0/90度

Oscillation:0/90

电压: 220V

Voltage:220V

频率: 50HZ

Frequency:50HZ

功率: 500W

Power:500W

风量: 110m³/min

Air-flow:110m³/min

档位设计: 不可调

Speed: No Speed

有效距离: 10-12m

Spray effective distance:6-8m

使用面积; 70m²

Effective Area:70m²



品牌: ZOUWAY

广州BRT快速公交专用喷雾风扇

制造商;

德清中为电器有限公司

网址: <http://www.zouway.com>



餐厅使用



车间使用

养殖场使用

壁挂式喷雾风扇

- ①: 离心式雾化设计，无需喷嘴和水过滤装置，使用维修方便快捷。
- ②: 雾化量大小可以调节，低噪音设计。
- ③: 喷雾系统和送风分别有独立的电机带动运行，要风有风，要雾有雾，维护简单。
- ④: 表面采用粉末喷涂，防锈性能好，经久耐用不破损不生锈。
- ⑤: 电机采用低温升设计，纯铜线高质量电机，性能稳定，运行时间长，过载能力强。
- ⑥: 水泵配有保护装置，水箱无水时，不会损坏水泵。
- ⑦: 防水电气设计，使用更加安全。
- ⑧: 采用AUTOCAD优化设计，造型美观，产品坚固耐用。

Wall Centrifuge Type Series -- Water Mist Fan

Feature:

- ①:Centrifugal atomization design,without nozzle and water filtration devices,easy maintenance
- ②:Spray volume size can be adjusted , low-noise design.
- ③:mist system and air supply were a separate ,wind to wind and fog to fog.
- ④:The surface by powder coating,rust-proof performance,durability is not broken do not rust
- ⑤:Motor design with low temperature rise,high-quality copper wire motor,stable performance
- ⑥:Water pump equipped with a protection device ,no water no damage pump.
- ⑦:Water proof electrical design use more secure.
- ⑧:Attractive appearance durable products.

型号: ZW10W-26WL

Item no :ZW10W-26WL

名称: 26' 离心挂壁式喷雾风扇

Name :26' centrifugal Wall-Mounted Mist Fan

摇头角度: 90度

Oscillation:90

电压: 220V

Voltage:220V

频率: 50HZ

Frequency:50HZ

功率: 230W

Power:230W

风量: 150m³/min

Air-flow:150m³/min

档位设计: 三档调速

Speed:3

有效距离: 6-8m

Spray effective distance:6-8m

使用面积; 25-30m²

Effective Area:25-30m²



品牌: ZOUWAY

广州BRT快速公交专用喷雾风扇

制造商;

德清中为电器有限公司

网址: <http://www.zouway.com>



餐厅使用



车间使用



养殖厂使用

外转子式离心加湿器

- ①: 离心式雾化设计，无需喷嘴和水过滤装置，使用维修方便快捷。
- ②: 雾化量大小可以调节，低噪音设计。
- ③: 喷雾系统和送风分别有独立的电机带动运行，要风有风，要雾有雾，维护简单。
- ④: 表面采用粉末喷涂，防锈性能好，经久耐用不破损不生锈。
- ⑤: 电机采用低温升设计，纯铜线高质量电机，性能稳定，运行时间长，过载能力强。
- ⑥: 水泵配有保护装置，水箱无水时，不会损坏水泵。
- ⑦: 防水电气设计，使用更加安全。
- ⑧: 采用AUTOCAD优化设计，造型美观，产品坚固耐用。

External rotor centrifugal humidifier

Feature:

- ①:Centrifugal atomization design,without nozzle and water filtration devices,easy maintenance
- ②:Spray volume size can be adjusted , low-noise design.
- ③:mist system and air supply were a separate ,wind to wind and fog to fog.
- ④:The surface by powder coating,rust-proof performance,durability is not broken do not rust
- ⑤:Motor design with low temperature rise,high-quality copper wire motor,stable performance
- ⑥:Water pump equipped with a protection device ,no water no damage pump.
- ⑦:Water proof electrical design use more secure.
- ⑧:Attractive appearance durable products.

型号: ZW10W-20RE

Item no :ZW10W-20RE/350 500

名称: 20' 外转子式离心加湿器

Name :20' External rotor centrifugal humidifier

摇头角度: 0度

Oscillation:0

电压: 220V

Voltage:220V

频率: 50HZ

Frequency:50HZ

功率: 420W / 660W

Power:420W / 660W

风量: 33-110m³/min

Air-flow:33-110m³/min

档位设计: 不可调

Speed: No Speed

有效距离: 10-12m

Spray effective distance:6-8m

使用面积; 300-500m²

Effective Area:300-500m²



品牌: ZOUWAY

外转子式离心加湿器专业

制造商;

德清中为电器有限公司

网址: <http://www.zouway.com>



车间使用



适用于工厂、商场、养殖场、花房降温、除尘、除异味、消除静电，加湿之用



车间使用

养殖场使用

民航新闻
News.CAHNUC.com

外转子式离心喷雾机

- ①: 离心式雾化设计，无需喷嘴和水过滤装置，使用维修方便快捷。
- ②: 雾化量大小可以调节，低噪音设计。
- ③: 喷雾系统和送风分别有独立的电机带动运行，要风有风，要雾有雾，维护简单。
- ④: 表面采用粉末喷涂，防锈性能好，经久耐用不破损不生锈。
- ⑤: 电机采用低温升设计，纯铜线高质量电机，性能稳定，运行时间长，过载能力强。
- ⑥: 水泵配有保护装置，水箱无水时，不会损坏水泵。
- ⑦: 防水电气设计，使用更加安全。
- ⑧: 采用AUTOCAD优化设计，造型美观，产品坚固耐用。

External rotor centrifugal spray machine

Feature:

- ①:Centrifugal atomization design,without nozzle and water filtration devices,easy maintenance
- ②:Spray volume size can be adjusted , low-noise design.
- ③:mist system and air supply were a separate ,wind to wind and fog to fog.
- ④:The surface by powder coating,rust-proof performance,durability is not broken do not rust
- ⑤:Motor design with low temperature rise,high-quality copper wire motor,stable performance
- ⑥:Water pump equipped with a protection device ,no water no damage pump.
- ⑦:Water proof electrical design use more secure.
- ⑧:Attractive appearance durable products.

型号: ZW10W-20REA

名称: 20' 外转子式离心加湿器

摇头角度: 0-120度 可选

电压: 220V /110V

频率: 50HZ /60HZ

功率: 680W / 830W

风量: 7200m³/H

档位设计: 不可调

有效距离: 10-15m

使用面积: 500m²

Item no :ZW10W-20REA

Name :20' External rotor centrifugal spray ma

Oscillation:0-120

Voltage:220V /110V

Frequency:50HZ /60HZ

Power:680W / 830W

Air-flow:7200m3/H

Speed: No Speed

Spray effective distance:10-15m

Effective Area:500m²



品牌: ZOUWAY

外转子式离心喷雾机专业

制造商;

德清中为电器有限公司

网址: <http://www.zouway.com>



车间使用



适用于工厂、商场、养殖场、花房降温、除尘、除异味、消除静电，加湿之用

车间使用

养殖厂使用

